

A-Shape LED

5A19/PER/927-922/CL/G/E26/WGX 1FB T20

Philips A-shape Dimmable LED lamps are the smart LED alternative to standard incandescents. The unique lamp design provides omi-directional light with excellent dimming performance.


Product data

General information		Electrical	
Cap-Base	E26 [Single Contact Medium Screw]	Warm Up Time to 60% Light (Nom)	0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.75
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)	120 V
Switching Cycle	20000X	Temperature	
Technical Type	5-40W	T-Case Maximum (Nom)	50 °C
Light technical		Controls and dimming	
Color Code	927-922 [CCT of 2700K-2200K]	Dimmable	Yes
Beam Angle (Nom)	300 °	Mechanical and housing	
Luminous Flux (Nom)	450 lm	Bulb Finish	Clear
Color Designation	Warm Glow(WG)	Bulb Material	Glass
Correlated Color Temperature (Nom)	- K	Bulb Shape	A19 (A19)
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Approval and application	
Color Consistency	<4	Energy Consumption kWh/1000 h	- kWh
Color Rendering Index (Nom)	90	Energy Certifications	Energy Star
LLMF At End Of Nominal Lifetime (Nom)	70 %	Product data	
Operating and electrical		Order product name	5A19/PER/927-922/CL/G/E26/WGX 1FB T20
Input Frequency	50 to 60 Hz	EAN/UPC - Product	046677549480
Power (Rated) (Nom)	5 W	Order code	549485
Lamp Current (Nom)	55 mA	Numerator - Quantity Per Pack	1
Wattage Equivalent	40 W		
Starting Time (Nom)	0.5 s		

A-Shape LED

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001969504
Copy Net Weight (Piece)	0.030 kg



Dimensional drawing



5A19/PER/927-922/CL/G/E26/WGX 1FB T20

Product	D	C
5A19/PER/927-922/CL/G/E26/WGX 1FB T20	60 mm	108 mm


Photometric data



General Lighting Data

LEDbulb CL,FR 927



LEDbulb 40W E26 A19 927 CL



LEDbulb 927 CL

A-Shape LED

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

