

# Classic filament LEDbulbs

## 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

Philips LED vintage-style lamps allow you to maintain a warm, classic light effect while providing longer life and energy savings.

### Product data


General Information		Power Consumption	
Cap-Base	E26 [Single Contact Medium Screw]	Lamp Current (Nom)	85 mA
Nominal lifetime	15,000 hour(s)	Wattage Equivalent	60 W
Switching Cycle	20,000	Starting Time (Nom)	0.5 s
Rated Lifetime (Hours)	15,000 hour(s)	Warm-up time to 60% light	0.5 s
Lighting Technology	LED	Power Factor (Fraction)	0.75
EU RoHS compliant	Yes	Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	927-922 [CCT of 2700K-2200K]	T-Case Maximum (Nom)	60 °C
Beam Angle (Nom)	300 degree(s)	Controls and Dimming	
Luminous Flux	800 lumen	Dimmable	Yes
Color Designation	Warm Glow(WG)	Mechanical and Housing	
Correlated Color Temperature (Nom)	2700 2200 K	Bulb Finish	Clear
Luminous Efficacy (rated) (Nom)	100.00 lm/W	Bulb Material	Glass
Color Consistency	<4	Bulb Shape	A19 [A 19mm]
Color rendering index (CRI)	90	Approval and Application	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Consumption kWh/1000 h	- kWh
Operating and Electrical		Energy Certifications	Energy Star
Line Frequency	50 to 60 Hz		
Input Frequency	50 to 60 Hz		

# Classic filament LEDbulbs

EyeComfort	Yes
<b>Product Data</b>	
Order product name	8A19/PER/927-922/CL/G/E26/WGX 1FB T20
Order code	549493
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6



Material Nr. (12NC)	929001969604
Full product name	8A19/PER/927-922/CL/G/E26/WGX 1FB T20
EAN/UPC - Case	50046677549492
EAN/UPC - Product/Case	046677549497

## Dimensional drawing




Product	D	C
8A19/PER/927-922/CL/G/E26/WGX 1FB T20	60 mm	108 mm

## Photometric data



Spectral Power Distribution Colour - 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

General uniform lighting - 8A19/PER/927-922/CL/G/E26/WGX 1FB T20



Light Distribution Diagram - 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

# Classic filament LEDbulbs

## Lifetime



Life Expectancy Diagram - 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

Lumen Maintenance Diagram - 8A19/PER/927-922/CL/G/E26/WGX 1FB T20

